

EAST SEARCH

8/27/05

L#	Hits	Search String	Databases	
S1	12	5,293,479.pn. or "5,227,983".pn. or "4,885,694".pn. or "6,131,077".pn. or "6,169,987".pn. or "z	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S2	338596	(design\$3 or configur\$5) near2 (system\$1 or network\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S3	688073	(design\$3 or configur\$5) with (system\$1 or network\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S4	31006	(automat\$3 or computeriz\$3 or interactive or (computer near2 (based or implemented))) with (US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S5	6134	S4 and (receiv\$3 near2 input\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S6	3520	S4 and ((specify\$3 or specification or select\$3) near2 (element\$1 or component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S7	1272	S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S8	2190	S4 and ((attribute\$1 or feature\$1 or propert\$3 or charcateristic\$1) near2 (element\$1 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S9	410	S7 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S10	964	S6 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S11	781	S5 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S12	2197	S7 or S10 or S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S13	1326	S12 and ((schematic\$1 or layout\$1 or drawing\$1) with (element\$1 or component\$1 or system\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S14	1457	S9 or S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S15	48	S14 and (operational near2 (context\$1 or scenario\$1 or situation\$1 or environment\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S16	213	S14 and (output\$3 near2 (report\$1 or graphical or schematic\$1 or list\$1 or schedule\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S17	845	S14 and ("user interface")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S18	155	S16 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S19	488	S14 and ((specify\$3 or specification or select\$3) near2 (position\$1 or location\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S20	85	S16 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S21	88	S14 and ((mass or energy or air or water or heat) with transport\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S22	458	S14 and (cool\$3 or heat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S23	47	S14 and (vendor\$1 with product\$1 with (attribute\$1 or feature\$1 or propert\$3 or charcateristic\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S24	199	S14 and (updat\$3 with (attribute\$1 or feature\$1 or propert\$3 or charcateristic\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S25	87	S14 and (communicat\$3 with (user\$1 or vendor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S26	21	S14 and (plac\$3 with order\$1 with vendor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S27	6	S14 and (download\$3 with product\$1 with vendor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S28	1	S14 and (download\$3 with software with vendor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S29	153	S14 and (software with vendor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S30	1	S14 and (HVAC with parameter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S31	0	S14 and (HVAC with (loading or load\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S33	363	S14 and ("computer aided design" or CAD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S34	179	S14 and (product\$1 with sales\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S35	135	S14 and ((fees or commission\$1 or charge\$1) with (vendor\$1 or user\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S36	280	S14 and (performance with (report\$1 or analysis or analyses))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S37	5	S14 and ((attribute\$1 or feature\$1 or propert\$3 or charcateristic\$1) with sort\$3 with product\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

S38	5	S14 and ((attribute\$1 or feature\$1 or propert\$3 or charcateristic\$1) with filter\$3 with product\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S39	48	S14 and (palette\$1 with icon\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S40	996	S14 and (connect\$3 with (element\$1 or component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S41	506	S14 and (database with (element\$1 or component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S42	73	S14 and ((attribute\$1 or feature\$1 or propert\$3 or charcateristic\$1) with default with (parameter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S43	319	S14 and (validat\$3 with (system or design or configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S44	0	S14 and (vendor with product\$1 with parameter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S45	226	S14 and (performance with (requirement\$1 or specification\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S46	375	S15 or S20 or S21 or S23 or S25 or S39 or S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S47	663	S16 or S24 or S29 or S34 or S35 or S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S48	384	S40 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S49	392	S17 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S50	1168	S19 or S22 or S33 or S36 or S43 or S48 or S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S51	60	S26 or S27 or S28 or S30 or S32 or S37 or S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S52	316	S46 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S53	304	S50 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S54	324	S51 or S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S55	29	S14 and (HVAC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S56	31006	(automat\$3 or computeriz\$3 or interactive or (computer near2 (based or implemented))) with (US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S57	6134	S55 and (receiv\$3 near2 input\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S58	3520	S55 and ((specify\$3 or specification or select\$3) near2 (element\$1 or component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S59	1272	S56 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S60	2190	S55 and ((attribute\$1 or feature\$1 or propert\$3 or charcateristic\$1) near2 (element\$1 or comp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S61	410	S58 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S62	964	S57 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S63	781	S56 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S64	2197	S58 or S61 or S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S65	1326	S63 and ((schematic\$1 or layout\$1 or drawing\$1) with (element\$1 or component\$1 or system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S66	1457	S60 or S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S67	48	S65 and (operational near2 (context\$1 or scenario\$1 or situation\$1 or environment\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S68	213	S65 and (output\$3 near2 (report\$1 or graphical or schematic\$1 or list\$1 or schedule\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S69	845	S65 and ("user interface")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S70	488	S65 and ((specify\$3 or specification or select\$3) near2 (position\$1 or location\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S71	85	S67 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S72	88	S65 and ((mass or energy or air or water or heat) with transport\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S73	458	S65 and (cool\$3 or heat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S74	47	S65 and (vendor\$1 with product\$1 with (attribute\$1 or feature\$1 or propert\$3 or charcateristic\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S75	199	S65 and (updat\$3 with (attribute\$1 or feature\$1 or propert\$3 or charcateristic\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S76	87	S65 and (communicat\$3 with (user1 or vendor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S77	21	S65 and (plac\$3 with order\$1 with vendor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S78	6	S65 and (download\$3 with product\$1 with vendor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S79	1	S65 and (download\$3 with software with vendor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	153	S65 and (software with vendor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

S80	1	S65 and (HVAC with parameter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S81	29	S65 and (HVAC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S82	363	S65 and ("computer aided design" or CAD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S83	179	S65 and (product\$1 with sale\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S84	135	S65 and ((fees or commission\$1 or charge\$1) with (vendor\$1 or user\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S85	280	S65 and (performance with (report\$1 or analysis or analyses))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S86	5	S65 and ((attribute\$1 or feature\$1 or propert\$3 or charcateristic\$1) with sort\$3 with product\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S87	5	S65 and ((attribute\$1 or feature\$1 or propert\$3 or charcateristic\$1) with filter\$3 with product\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S88	48	S65 and (palette\$1 with icon\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S89	996	S65 and (connect\$3 with (element\$1 or component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S90	506	S65 and (database with (element\$1 or component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S91	73	S65 and ((attribute\$1 or feature\$1 or propert\$3 or charcateristic\$1) with default with (parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S92	319	S65 and (validat\$3 with (system or design or configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S93	226	S65 and (performance with (requirement\$1 or specification\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S94	375	S66 or S70 or S71 or S73 or S75 or S88 or S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S95	663	S67 or S74 or S79 or S83 or S84 or S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S96	384	S89 and S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S97	392	S68 and S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S98	1168	S69 or S72 or S82 or S85 or S92 or S96 or S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S99	60	S76 or S77 or S78 or S80 or S81 or S86 or S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S100	316	S94 and S95	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S101	304	S98 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S102	324	S99 or S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S103	29	S65 and (HVAC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S104	40	S101 and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S106	8	S65 and (heating near2 ventilating near2 conditioning)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S107	10	S63 and (heating near2 ventilating near2 conditioning)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S105	324	S101 or S104 or S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S108	52	S55 and (heating near2 ventilating near2 conditioning)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S109	2853	(heating near2 ventilating near2 "air conditioning")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S110	4274	hvac near2 system\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S111	5993	S109 or S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S112	13	S111 and ((automated or computerized or "computer based") near2 (design or configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S113	87	S111 and ((predict\$3 or forecast\$3 or estimat\$3 or comput\$3 or computation) near2 (perform: (perform: (design near2 (element\$1 or component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S114	195	S111 and (design near2 (element\$1 or component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S115	16	S113 and S114	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S116	4080	S111 and (element\$1 or component\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S117	83	S113 and S116	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S118	99	S112 or S113 or S115 or S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S119	2853	(heating near2 ventilating near2 "air conditioning")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S120	4274	hvac near2 system\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S121	5993	S119 or S120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S122	18	S121 and (product\$1 with vendor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

